## Table 4

348	ద	~	ĸ	œ	ĸ	œ	ď				Ф		s 1	addition to dealers		The second second	7			i I	,	-			***************************************		-	1	;			
345	z		ž		z	z	z	<b>-22</b>			4				•••				-				-					-				
342	တ	z	ဟ	z	Z	z	z			2	z					277	,,,,						1500									
321	ь	Ŀ	<u>.</u>	ட	ഥ	Ľ	ь		*										The state of the s					· · · · · · · · · · · · · · · · · · ·					! !	· ·		
315	H	F	<u></u>	H	<b>-</b>	H	<u></u>							***				~~~~	on seem analy	: :		1				# #	to one amount	,	!			
292	_	<u>.</u>	, :	<u>.</u>	_	_	_		dis december					5	. MW 46e sanos suna		AL WILLIAM AND		A000 A00 A000	,					MODERATION		PRINT THE SECOND	£				
291	Ą	S	4	4	∢	Ą	Ą																									
288	S	۵.	တ	တ	<del> </del>	z	Z								Þ		F		۰	z			z						- 4			
220	Υ	Υ	>	≻	≻	>	>					z	z	,	z	z															VALUE VIE	
210 219	٧	Ą	∢.	٧	Ø	တ	⋖	Ф	4.5	۵.	200	-								Ø												
210	>	>	>	>	>	>	>		٨																						-	
203	œ	ဟ	ш	တ	Ø	¥	Ý						.,		4.5	• ~		./***					4						¥		¥	
151	z	z	z	z	z	z	z								A A A A A A A A A A A A A A A A A A A																	
122	۵	Ω	۵	□	凸	۵	Δ				ш																		***************************************		ĺ	*****
120	>	u.	_	u.	ei.	>	į	14				<b>3</b>			411					u.		544	щ	11.		14	- 1-2	<i>3.</i>				<b>4</b>
119	Ø	Ø	Ø	Ø	Ø	Ø	Ö							ス										20.070	******						-	
118			_		_	_	7							,									- Control of the Cont		***************************************			İ				
19	4		_			<u>ت</u>	_		Σ	Σ															22				11.00			
# pi	ae	ia		jdc	osa	litis	itica	_	4	<b>ا</b>	0		4	23	24	25	1	1	~	4	(C		ω	6	2	3	4	1	6	_	ر ک	9
amino acid#	E. cloacae	sobria	E. coli	<ol><li>anthropi</li></ol>	P. aeroginosa	S. enteriditis	. enterolitica	IRL1.8.1	IRL1.8.4	IRL 1.8.5	RL1.8.10	IRL1.8.11	IRL 1.8.14	IRL 1.8.23	RL1.8.24	RL1.8.25	IRL 1.6.1	IRL 2.8.1	IRL2.8.3	IRL2.8.4	IRL2.8.6	RL2.8.7	IRL 2.8.8	IRL 2.8.9	IRL 2.8.12	IRL 2.8.13	RL2.8.14	RL2.8.17	IRL 2.8.29	RL2.3.4	IRL2.3.5	IRL2.3.6
ami	E.	Ä.	Ш	o.	Р. ае	S. e	Y. er	꼰	깥	껕	屈	껕	区	∝	찚	껕	꼰	낊	깥	껕	깥	区	쪼	<u>∝</u>	ద	껕	쩝	띪	껕	껕	쪼	図

## United States Patent & Trademark Office

Office of Initial Patent Examination - Scanning Division



Application deficient	cies found duri	ng scanning:					
□ Page(s)	of		were not preser				
for scanning.		(Document title)					
□ Page(s)	of	,	were not present				
for scanning.		(Document title)					

Scanned copy is best available. There are 34 pages

Of specification, 4

Pages of claim and 1

Page of abstract.